



Kablo Kanalı Kapağı



Cable Ladder Cover
 Kablo Merdiveni Kapağı
 15

Model	W Width (W) (mm)	pregalvanised steel			hot dip galvanised finish		
		T Thickness (T) (mm)	Weight kg/m	"Order Code (PG)"	T Thickness (T) (mm)	Weight kg/m	"Order Code (HDG)"
KK 05	50	0,80	0,50	3000 15 050 08 1	1,00	0,63	3000 15 050 10 2
KK 10	100	0,80	0,82	3000 15 100 08 1	1,00	1,02	3000 15 100 10 2
KK 15	150	1,00	1,41	3000 15 150 10 1	1,20	1,70	3000 15 150 12 2
KK 20	200	1,00	1,81	3000 15 200 10 1	1,20	2,17	3000 15 200 12 2
KK 25	260	1,00	2,28	3000 15 260 10 1	1,20	2,73	3000 15 260 12 2
KK 30	300	1,20	3,11	3000 15 300 12 1	1,50	3,89	3000 15 300 15 2
KK 40	400	1,20	4,05	3000 15 400 12 1	1,50	5,06	3000 15 400 15 2
KK 50	500	1,20	4,99	3000 15 500 12 1	1,50	6,24	3000 15 500 15 2
KK 60	600	1,20	5,93	3000 15 600 12 1	1,50	7,42	3000 15 600 15 2
KK 75	300	1,20	3,11	3000 15 300 12 1	1,50	3,89	3000 15 300 15 2
KK 90	400	1,20	4,05	3000 15 400 12 1	1,50	5,06	3000 15 400 15 2

Standard length of trays 3000 mm, on request: 2000mm- 2400mm-2500mm


Covers fixed by 4 pcs of cover clamps KT/1 or 2 sets of cover clamps KT/2

Material & Finish Options:

- PG : pregalvanised steel EN 10142
- HDG : hot dip galvanised EN ISO 1461
- SS : stainless steel AISI 304
- AL : aluminum
- EP : epoxy painted - RAL

Cover Clamp KT/1



Kapak Tutucu



Model Number	W Width (W) (mm)	T Plate Thick. (T) (mm)	Weight kg/pcs	"Order Code (PG)"	"Order Code (HDG)"
KT/1 50	50	2,00	0,034	3901 50 000 20 1	3901 50 000 20 2
KT/1 60	60	2,00	0,037	3901 60 000 20 1	3901 60 000 20 2
KT/1 70	70	2,00	0,039	3901 70 000 20 1	3901 70 000 20 2
KT/1 75	75	2,00	0,041	3901 75 000 20 1	3901 75 000 20 2
KT/1 80	80	2,00	0,043	3901 80 000 20 1	3901 80 000 20 2
KT/1 100	100	2,00	0,049	3901 10 000 20 1	3901 10 000 20 2
KT/1 125	125	2,00	0,049	3901 12 000 20 1	3901 12 000 20 2
KT/1 150	150	2,00	0,049	3901 15 000 20 1	3901 15 000 20 2

Cover Clamp KT/2



Kapak Tutucu



Model Number	Width (W1-W2) (mm)	Plate Thick. (T) (mm)	Weight kg/pcs	Order Code (PG)	Order Code (HDG)
KT/2 50 ...	50	2,00	30	3902 50 000 20 1	3902 50 000 20 2
KT/2 60 ...	60	2,00	30	3902 60 000 20 1	3902 60 000 20 2
KT/2 70 ...	70	2,00	30	3902 70 000 20 1	3902 70 000 20 2
KT/2 75 ...	75	2,00	30	3902 75 000 20 1	3902 75 000 20 2
KT/2 80 ...	80	2,00	30	3902 80 000 20 1	3902 80 000 20 2
KT/2 100 ...	100	2,00	30	3902 10 000 20 1	3902 10 000 20 2
KT/2 125 ...	125	2,00	30	3902 12 000 20 1	3902 12 000 20 2
KT/2 150 ...	150	2,00	30	3902 15 000 20 1	3902 15 000 20 2

45° Horizontal Bend Cover

45° yatay kanal dönüş kapağı




Model Number	Width (W1-W2) (mm)	Plate Thick. (T) (mm)	Weight kg/pcs	Order Code (PG)	Order Code (HDG)
KK45 10	100	1,20	0,455	3210 15 100 12 1	3210 15 100 12 2
KK45 15	150	1,20	0,652	3210 15 150 12 1	3210 15 150 12 2
KK45 20	200	1,50	1,103	3210 15 200 15 1	3210 15 200 15 2
KK45 25	250	1,50	1,432	3210 15 250 15 1	3210 15 250 15 2
KK45 30	300	1,50	1,803	3210 15 300 15 1	3210 15 300 15 2
KK45 40	400	2,00	3,560	3210 15 400 20 1	3210 15 400 20 2
KK45 50	500	2,00	4,938	3210 15 500 20 1	3210 15 500 20 2
KK45 60	600	2,00	6,539	3210 15 600 20 1	3210 15 600 20 2
KK45 90	900	2,00	12,671	3210 15 900 20 1	3210 15 900 20 2

Used with 4 pcs of Cover Clamps for fixing to trays

Material & Finish Options:
PG HDG SS AL EP

90° Horizontal Bend Cover

90° yatay kanal dönüş kapağı




Used with 3 pcs of Cover Clamps for fixing to trays

Standard production: radius 50


Unequal bends: A and B dimensions may be different

Material & Finish Options:
PG HDG SS AL EP

Model Number	Width (W) (mm)	Plate Thick. (T) (mm)	Weight kg/pcs	Order Code (PG)	Order Code (HDG)
KK90 10	100	1,20	0,388	3220 15 100 12 1	3220 15 100 12 2
KK90 15	150	1,20	0,603	3220 15 150 12 1	3220 15 150 12 2
KK90 20	200	1,50	1,081	3220 15 200 15 1	3220 15 200 15 2
KK90 25	250	1,50	1,467	3220 15 250 15 1	3220 15 250 15 2
KK90 30	300	1,50	1,912	3220 15 300 15 1	3220 15 300 15 2
KK90 40	400	2,00	3,972	3220 15 400 20 1	3220 15 400 20 2
KK90 50	500	2,00	5,709	3220 15 500 20 1	3220 15 500 20 2
KK90 60	600	2,00	7,759	3220 15 600 20 1	3220 15 600 20 2
KK90 90	900	2,00	15,794	3220 15 900 20 1	3220 15 900 20 2

90° Horizontal Bend Cover
radius 30090° yatay kanal dönüş kapağı
radyüs 300

Model Number	Width (W) (mm)	Plate Thick. (T) (mm)	Weight kg/pcs	Order Code (PG)	Order Code (HDG)
KK90R2 10	100	1,20	0,798	3222 15 100 12 1	3222 15 100 12 2
KK90R2 15	150	1,20	1,096	3222 15 150 12 1	3222 15 150 12 2
KK90R2 20	200	1,50	1,801	3222 15 200 15 1	3222 15 200 15 2
KK90R2 25	250	1,50	2,291	3222 15 250 15 1	3222 15 250 15 2
KK90R2 30	300	1,50	2,840	3222 15 300 15 1	3222 15 300 15 2
KK90R2 40	400	2,00	5,486	3222 15 400 20 1	3222 15 400 20 2
KK90R2 50	500	2,00	7,499	3222 15 500 20 1	3222 15 500 20 2
KK90R2 60	600	2,00	9,826	3222 15 600 20 1	3222 15 600 20 2
KK90R2 90	900	2,00	18,691	3222 15 900 20 1	3222 15 900 20 2

90° Horizontal Bend Cover
radius 60090° yatay kanal dönüş kapağı
radyüs 600

Model Number	Width (W) (mm)	Plate Thick. (T) (mm)	Weight kg/pcs	Order Code (PG)	Order Code (HDG)
KK90R4 10	100	1,20	2,055	3224 15 100 12 1	3224 15 100 12 2
KK90R4 15	150	1,20	2,519	3224 15 150 12 1	3224 15 150 12 2
KK90R4 20	200	1,50	3,787	3224 15 200 15 1	3224 15 200 15 2
KK90R4 25	250	1,50	4,484	3224 15 250 15 1	3224 15 250 15 2
KK90R4 30	300	1,50	5,240	3224 15 300 15 1	3224 15 300 15 2
KK90R4 40	400	2,00	9,239	3224 15 400 20 1	3224 15 400 20 2
KK90R4 50	500	2,00	11,804	3224 15 500 20 1	3224 15 500 20 2
KK90R4 60	600	2,00	14,684	3224 15 600 20 1	3224 15 600 20 2
KK90R4 90	900	2,00	25,207	3224 15 900 20 1	3224 15 900 20 2

Other Radius Options


Diğer Radyüs Opsiyonları

Different radius options may be ordered

Farklı radyüs opsiyonları sipariş verilebilir.

Radius	Model Number	Order Code (PG)	Order Code (HDG)
R:150	KK90R1 ...	3221 15 ... 1	3221 15 ... 2
R:450	KK90R3 ...	3223 15 ... 1	3223 15 ... 2

"T" yatay kanal dönüş kapağı



Model Number	Width (W) (mm)	Plate Thick. (T) (mm)	"Weight kg/pcs"	"Order Code (PG)"	"Order Code (HDG)"
KKT 10	100	1,20	0,528	3230 15 100 12 1	3230 15 100 12 2
KKT 15	150	1,20	0,777	3230 15 150 12 1	3230 15 150 12 2
KKT 20	200	1,50	1,342	3230 15 200 15 1	3230 15 200 15 2
KKT 25	250	1,50	1,771	3230 15 250 15 1	3230 15 250 15 2
KKT 30	300	1,50	2,259	3230 15 300 15 1	3230 15 300 15 2
KKT 40	400	2,00	4,549	3230 15 400 20 1	3230 15 400 20 2
KKT 50	500	2,00	6,400	3230 15 500 20 1	3230 15 500 20 2
KKT 60	600	2,00	8,565	3230 15 600 20 1	3230 15 600 20 2
KKT 90	900	2,00	16,944	3230 15 900 20 1	3230 15 900 20 2



Used with 4 pcs of Cover Clamps for fixing to trays

Standard production: radius 50

Unequal bends: A and B dimensions may be different

Material & Finish Options:
PG HDG SS AL EP

Dörtlü yatay kanal dönüş kapağı




Model Number	Width (W) (mm)	Plate Thick. (T) (mm)	"Weight kg/pcs"	"Order Code (PG)"	"Order Code (HDG)"
KKD 10	100	1,20	0,718	3240 15 100 12 1	3240 15 100 12 2
KKD 15	150	1,20	1,001	3240 15 150 12 1	3240 15 150 12 2
KKD 20	200	1,50	1,665	3240 15 200 15 1	3240 15 200 15 2
KKD 25	250	1,50	2,137	3240 15 250 15 1	3240 15 250 15 2
KKD 30	300	1,50	2,668	3240 15 300 15 1	3240 15 300 15 2
KKD 40	400	2,00	5,209	3240 15 400 20 1	3240 15 400 20 2
KKD 50	500	2,00	7,175	3240 15 500 20 1	3240 15 500 20 2
KKD 60	600	2,00	9,454	3240 15 600 20 1	3240 15 600 20 2
KKD 90	900	2,00	18,177	3240 15 900 20 1	3240 15 900 20 2


Used with 4 pcs of Cover Clamps for fixing to trays

Standard production: radius 50


Unequal bends: A and B dimensions may be different

Material & Finish Options:
PG HDG SSTee Horizontal Bend Cover
radius 300"T" yatay kanal dönüş kapağı
radyüs 300


Model Number	Width (W) (mm)	Plate Thick. (T) (mm)	"Weight kg/pcs"	"Order Code (PG)"	"Order Code (HDG)"
KKTR2 10	100	1,20	1,240	3232 15 100 12 1	3232 15 100 12 2
KKTR2 15	150	1,20	1,614	3232 15 150 12 1	3232 15 150 12 2
KKTR2 20	200	1,50	2,543	3232 15 200 15 1	3232 15 200 15 2
KKTR2 25	250	1,50	3,128	3232 15 250 15 1	3232 15 250 15 2
KKTR2 30	300	1,50	3,771	3232 15 300 15 1	3232 15 300 15 2
KKTR2 40	400	2,00	6,981	3232 15 400 20 1	3232 15 400 20 2
KKTR2 50	500	2,00	9,247	3232 15 500 20 1	3232 15 500 20 2
KKTR2 60	600	2,00	11,827	3232 15 600 20 1	3232 15 600 20 2
KKTR2 90	900	2,00	21,451	3232 15 900 20 1	3232 15 900 20 2

Cross Bend Cover
radius 300Dörtlü yatay kanal dönüş kapağı
radyüs 300

Model Number	Width (W) (mm)	Plate Thick. (T) (mm)	"Weight kg/pcs"	"Order Code (PG)"	"Order Code (HDG)"
KKDR2 10	100	1,20	1,926	3242 15 100 12 1	3242 15 100 12 2
KKDR2 15	150	1,20	2,376	3242 15 150 12 1	3242 15 150 12 2
KKDR2 20	200	1,50	3,590	3242 15 200 15 1	3242 15 200 15 2
KKDR2 25	250	1,50	4,270	3242 15 250 15 1	3242 15 250 15 2
KKDR2 30	300	1,50	5,009	3242 15 300 15 1	3242 15 300 15 2
KKDR2 40	400	2,00	8,883	3242 15 400 20 1	3242 15 400 20 2
KKDR2 50	500	2,00	11,402	3242 15 500 20 1	3242 15 500 20 2
KKDR2 60	600	2,00	14,235	3242 15 600 20 1	3242 15 600 20 2
KKDR2 90	900	2,00	24,618	3242 15 900 20 1	3242 15 900 20 2

Tee Horizontal Bend Cover
radius 600"T" yatay kanal dönüş kapağı
radyüs 600

Model Number	Width (W) (mm)	Plate Thick. (T) (mm)	"Weight kg/pcs"	"Order Code (PG)"	"Order Code (HDG)"
KKTR4 10	100	1,20	3,539	3234 15 100 12 1	3234 15 100 12 2
KKTR4 15	150	1,20	4,161	3234 15 150 12 1	3234 15 150 12 2
KKTR4 20	200	1,50	6,038	3234 15 200 15 1	3234 15 200 15 2
KKTR4 25	250	1,50	6,934	3234 15 250 15 1	3234 15 250 15 2
KKTR4 30	300	1,50	7,888	3234 15 300 15 1	3234 15 300 15 2
KKTR4 40	400	2,00	13,298	3234 15 400 20 1	3234 15 400 20 2
KKTR4 50	500	2,00	16,393	3234 15 500 20 1	3234 15 500 20 2
KKTR4 60	600	2,00	19,802	3234 15 600 20 1	3234 15 600 20 2
KKTR4 90	900	2,00	31,913	3234 15 900 20 1	3234 15 900 20 2

Cross Bend Cover
radius 600Dörtlü yatay kanal dönüş kapağı
radyüs 600

Model Number	Width (W) (mm)	Plate Thick. (T) (mm)	"Weight kg/pcs"	"Order Code (PG)"	"Order Code (HDG)"
KKDR4 10	100	1,20	6,092	3244 15 100 12 1	3244 15 100 12 2
KKDR4 15	150	1,20	6,873	3244 15 150 12 1	3244 15 150 12 2
KKDR4 20	200	1,50	9,627	3244 15 200 15 1	3244 15 200 15 2
KKDR4 25	250	1,50	10,721	3244 15 250 15 1	3244 15 250 15 2
KKDR4 30	300	1,50	11,874	3244 15 300 15 1	3244 15 300 15 2
KKDR4 40	400	2,00	19,142	3244 15 400 20 1	3244 15 400 20 2
KKDR4 50	500	2,00	22,767	3244 15 500 20 1	3244 15 500 20 2
KKDR4 60	600	2,00	26,705	3244 15 600 20 1	3244 15 600 20 2
KKDR4 90	900	2,00	40,403	3244 15 900 20 1	3244 15 900 20 2

Other Radius Options

Diğer Radyüs Opsiyonları

Different radius options may be ordered

Farklı radyüs opsiyonları sipariş verilebilir.

Radius	Model Number	"Order Code (PG)"	"Order Code (HDG)"
R:150	KKTR1 ...	3231 15 ... 1	3231 15 ... 2
R:450	KKTR3 ...	3233 15 ... 1	3233 15 ... 2

Other Radius Options

Diğer Radyüs Opsiyonları


Different radius options may be ordered

Farklı radyüs opsiyonları sipariş verilebilir.

Radius	Model Number	"Order Code (PG)"	"Order Code (HDG)"
R:150	KKDR1 ...	3241 15 ... 1	3241 15 ... 2
R:450	KKDR3 ...	3243 15 ... 1	3243 15 ... 2




Model Number	Width (W) (mm)	Plate Thick. (T) (mm)	Weight (kg/pcs)	"Order Code (PG)"	"Order Code (HDG)"
KKMB 05	50	1,20	0,225	3270 15 050 12 1	3270 15 050 12 2
KKMB 10	100	1,20	0,366	3270 15 100 12 1	3270 15 100 12 2
KKMB 15	150	1,20	0,510	3270 15 150 12 1	3270 15 150 12 2
KKMB 20	200	1,50	0,813	3270 15 200 15 1	3270 15 200 15 2
KKMB 25	250	1,50	0,990	3270 15 250 15 1	3270 15 250 15 2
KKMB 30	300	1,50	1,167	3270 15 300 15 1	3270 15 300 15 2
KKMB 40	400	2,00	2,025	3270 15 400 20 1	3270 15 400 20 2
KKMB 50	500	2,00	2,496	3270 15 500 20 1	3270 15 500 20 2
KKMB 60	600	2,00	2,967	3270 15 600 20 1	3270 15 600 20 2





Cover of Vertical Tee Bend of Cable Tray

Dikey "T" Kanal Bağlantı Kapağı



Model Number	Width (W) (mm)	Plate Thick. (T) (mm)	Weight (kg/pcs)	"Order Code (PG)"	"Order Code (HDG)"
KKDT 10	100	1,20	0,488	3280 15 100 15 1	3280 15 100 15 2
KKDT 15	150	1,20	0,765	3280 15 150 15 1	3280 15 150 15 2
KKDT 20	200	1,50	1,355	3280 15 200 15 1	3280 15 200 15 2
KKDT 25	250	1,50	1,815	3280 15 250 15 1	3280 15 250 15 2
KKDT 30	300	1,50	2,334	3280 15 300 15 1	3280 15 300 15 2
KKDT 40	400	2,00	4,725	3280 15 400 20 1	3280 15 400 20 2
KKDT 50	500	2,00	6,656	3280 15 500 20 1	3280 15 500 20 2
KKDT 60	600	2,00	8,901	3280 15 600 20 1	3280 15 600 20 2




Model Number	Width (W1-W2) (mm)	Plate Thick. (T) (mm)	Weight (kg/pcs)	"Order Code (PG)"	"Order Code (HDG)"
RKOS 10 1	100-50	1,50	0,612	3841 15 100 15 1	3841 15 100 15 2
RKOS 15 1	150-100	1,50	0,848	3841 15 150 15 1	3841 15 150 15 2
RKOS 20 2	200-100	1,50	1,083	3842 15 200 15 1	3842 15 200 15 2
RKOS 25 1	250-200	1,50	1,319	3841 15 250 15 1	3841 15 250 15 2
RKOS 30 2	300-200	1,50	1,554	3842 15 300 15 1	3842 15 300 15 2
RKOS 40 2	400-300	2,00	2,700	3842 15 400 20 1	3842 15 400 20 2
RKOS 50 2	500-400	2,00	3,328	3842 15 500 20 1	3842 15 500 20 2
RKOS 60 2	600-500	2,00	3,956	3842 15 600 20 1	3842 15 600 20 2

Used with 2 pcs of Cover Clamps for fixing to trays

Material & Finish Options:
PG HDG SS

Reduction, Amm (A1+A2)	Model Number	Order Code (PG)
50	RKOS .. 1	3841 15 ... 1
100	RKOS .. 2	3842 15 ... 1
150	RKOS .. 3	3843 15 ... 1
200	RKOS .. 4	3844 15 ... 1
250	RKOS .. 5	3845 15 ... 1
300	RKOS .. 6	3846 15 ... 1
350	RKOS .. 7	3847 15 ... 1
400	RKOS .. 8	3848 15 ... 1
450	RKOS .. 9	3849 15 ... 1
500	RKOS .. 0	3840 15 ... 1



Left Reducer Cover


Sol Redüksiyon Kapağı



Model Number	Width (W1-W2) (mm)	Plate Thick. (T) (mm)	Weight (kg/pcs)	"Order Code (PG)"	"Order Code (HDG)"
RKLS 10 1	100-50	1,50	0,612	3851 15 100 15 1	3851 15 100 15 2
RKLS 15 1	150-100	1,50	0,848	3851 15 150 15 1	3851 15 150 15 2
RKLS 20 2	200-100	1,50	1,083	3852 15 200 15 1	3852 15 200 15 2
RKLS 25 1	250-200	1,50	1,319	3851 15 250 15 1	3851 15 250 15 2
RKLS 30 2	300-200	1,50	1,554	3852 15 300 15 1	3852 15 300 15 2
RKLS 40 2	400-300	2,00	2,700	3852 15 400 20 1	3852 15 400 20 2
RKLS 50 2	500-400	2,00	3,328	3852 15 500 20 1	3852 15 500 20 2
RKLS 60 2	600-500	2,00	3,956	3852 15 600 20 1	3852 15 600 20 2


Used with 2 pcs of Cover Clamps for fixing to trays

Material & Finish Options:
PG HDG SS



Right Reducer Cover

Sağ Redüksiyon Kapağı




Model Number	Width (W) (mm)	Plate Thick. (T) (mm)	"Weight kg/pcs"	"Order Code (PG)"	"Order Code (HDG)"
RKGS 10 1	100-50	1,50	0,612	3861 15 100 15 1	3861 15 100 15 2
RKGS 15 1	150-100	1,50	0,848	3861 15 150 15 1	3861 15 150 15 2
RKGS 20 2	200-100	1,50	1,083	3862 15 200 15 1	3862 15 200 15 2
RKGS 25 1	250-200	1,50	1,319	3861 15 250 15 1	3861 15 250 15 2
RKGS 30 2	300-200	1,50	1,554	3862 15 300 15 1	3862 15 300 15 2
RKGS 40 2	400-300	2,00	2,700	3862 15 400 20 1	3862 15 400 20 2
RKGS 50 2	500-400	2,00	3,328	3862 15 500 20 1	3862 15 500 20 2
RKGS 60 2	600-500	2,00	3,956	3862 15 600 20 1	3862 15 600 20 2

Used with 2 pcs of Cover Clamps for fixing to trays

Material & Finish Options:
PG HDG SS AL EP

90° Vertical Outside Bend Cover

Kanal dış bükey kapağı



Model Number	Width (W) (mm)	Plate Thick. (T) (mm)	"Weight kg/pcs"	"Order Code (PG)"	"Order Code (HDG)"
KKDB 05	50	0,80	0,327	3250 15 050 08 1	3250 15 050 08 2
KKDB 10	100	0,80	0,531	3250 15 100 08 1	3250 15 100 08 2
KKDB 15	150	1,00	0,918	3250 15 150 10 1	3250 15 150 10 2
KKDB 20	200	1,00	1,174	3250 15 200 10 1	3250 15 200 10 2
KKDB 25	250	1,00	1,429	3250 15 250 10 1	3250 15 250 10 2
KKDB 30	300	1,20	2,487	3250 15 300 12 1	3250 15 300 12 2
KKDB 40	400	1,20	3,240	3250 15 400 15 1	3250 15 400 15 2
KKDB 50	500	1,50	4,993	3250 15 500 15 1	3250 15 500 15 2
KKDB 60	600	1,50	5,935	3250 15 600 15 1	3250 15 600 15 2

Used with 4 pcs of Cover Clamps for fixing to trays

Vertical Bend delivered in plain position & may be used for 30-90 degree bendings

Material & Finish Options:
PG HDG SS AL EP


Cover of Vertical 90° Inside Bend of Cable Tray (stable)

90° Dikey Kanal İç Bükey Kapağı-(Sabit)



90° Vertical Inside Bend Cover

Kanal iç bükey kapağı




Model Number	Width (W) (mm)	Plate Thick. (T) (mm)	"Weight kg/pcs"	"Order Code (PG)"	"Order Code (HDG)"
KKIB 05	50	0,80	0,327	3250 15 050 08 1	3250 15 050 08 2
KKIB 10	100	0,80	0,531	3250 15 100 08 1	3250 15 100 08 2
KKIB 15	150	1,00	0,918	3250 15 150 10 1	3250 15 150 10 2
KKIB 20	200	1,00	1,174	3250 15 200 10 1	3250 15 200 10 2
KKIB 25	250	1,00	1,429	3250 15 250 10 1	3250 15 250 10 2
KKIB 30	300	1,20	2,487	3250 15 300 12 1	3250 15 300 12 2
KKIB 40	400	1,20	3,240	3250 15 400 12 1	3250 15 400 12 2
KKIB 50	500	1,50	4,993	3250 15 500 15 1	3250 15 500 15 2
KKIB 60	600	1,50	5,935	3250 15 600 15 1	3250 15 600 15 2

Used with 4 pcs of Cover Clamps for fixing to trays

Vertical Bend Covers delivered in plain position & may be used with 30-90 degree bendings

Material & Finish Options:
PG HDG SS AL EP



Model Number	Width (W) (mm)	Plate Thick. (T) (mm)	"Weight kg/pcs"	"Order Code (PG)"	"Order Code (HDG)"
KKIS 05	50	1,20	0,754	3260 15 050 12 1	3260 15 050 12 2
KKIS 10	100	1,20	1,225	3260 15 100 12 1	3260 15 100 12 2
KKIS 15	150	1,20	1,696	3260 15 150 12 1	3260 15 150 12 2
KKIS 20	200	1,50	2,708	3260 15 200 15 1	3260 15 200 15 2
KKIS 25	250	1,50	3,297	3260 15 250 15 1	3260 15 250 15 2
KKIS 30	300	1,50	3,886	3260 15 300 15 1	3260 15 300 15 2
KKIS 40	400	1,50	5,063	3260 15 400 15 1	3260 15 400 15 2
KKIS 50	500	1,50	6,241	3260 15 500 15 1	3260 15 500 15 2
KKIS 60	600	1,50	7,418	3260 15 600 15 1	3260 15 600 15 2

Used with 4 pcs of Cover Clamps for fixing to trays

Vertical Bend delivered in plain position & may be used for 30-90 degree bendings

Material & Finish Options:
PG HDG SS AL EP

Special Production

Özel Üretim

Cover of Vertical 45° Inside Bend of Cable Tray (stable) /45° Dikey Kanal İç Bükey Kapağı-(Sabit)



Cover of Vertical 30° Inside Bend of Cable Tray (stable) /30° Dikey Kanal İç Bükey Kapağı-(Sabit)

Radius	Model Number	"Order Code (PG)"	"Order Code (HDG)"
45°	KKIS45 ...	3261 15 ... 1	3261 15 ... 2
30°	KKIS30 ...	3262 15 ... 1	3262 15 ... 2

15 Cover Vertical 90° Outside Bend of Cable Tray (stable)

Side Height

90° Dikey Kanal Dış Bükey Kapağı-(Sabit)



Model Number	Width (W) (mm)	Plate Thick. (T) (mm)	Weight kg/pcs	"Order Code (PG)"	"Order Code (HDG)"
KKDS 05	50	1,20	0,754	3265 15 050 12 1	3265 15 050 12 2
KKDS 10	100	1,20	1,225	3265 15 100 12 1	3265 15 100 12 2
KKDS 15	150	1,20	1,696	3265 15 150 12 1	3265 15 150 12 2
KKDS 20	200	1,50	2,708	3265 15 200 15 1	3265 15 200 15 2
KKDS 25	250	1,50	3,297	3265 15 250 15 1	3265 15 250 15 2
KKDS 30	300	1,50	3,886	3265 15 300 15 1	3265 15 300 15 2
KKDS 40	400	1,50	5,063	3265 15 400 15 1	3265 15 400 15 2
KKDS 50	500	1,50	6,241	3265 15 500 15 1	3265 15 500 15 2
KKDS 60	600	1,50	7,418	3265 15 600 15 1	3265 15 600 15 2

Used with 2 pcs of Cover Clamps for fixing to trays

Material & Finish Options:
PG HDG SS EP

Special Production

Özel Üretim

Cover of Vertical 45° Outside Bend of Cable Tray (stable) /45° Dikey Kanal Dış Bükey Kapağı-(Sabit)

Cover of Vertical 30° Outside Bend of Cable Tray (stable) /30° Dikey Kanal Dış Bükey Kapağı-(Sabit)

Radius	Model Number	"Order Code (PG)"	"Order Code (HDG)"
45°	KKDS45 ...	3266 15 ... 1	3266 15 ... 2
30°	KKDS30 ...	3267 15 ... 1	3267 15 ... 2

BYD 140 15

KT 430

00 00 | 00 00